Hawai'i AIDS Cases, Reported through December 31, 2006

Year of Report		1983-2	2000	200)1	200)2	200	03	20	04	20	05	200)6	TOTAL		
Cas	ses by Year of Report a	2,28	11	117		9	10	0	12	0	10)2	88	}	2,92	20		
Rate per 100,000 Population b		N/A		9.6		8.8	8	8.0		9.5		8.0		6.8		N/A		
Demographics/Risk		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	
S E X	Male	2,128	(93)	102	(87)	98	(90)	84	(84)	108	(90)	90	(88)	78	(89)	2,688	(92	
χ	Female	156	(7)	15	(13)	11	(10)	16	(16)	12	(10)	12	(12)	10	(11)	232	(8	
	<13	16	(1)	0	(0)	0	(0)	1	(1)	0	(0)	0	(0)	0	(0)	17	(1	
	13-19	8	(0)	0	(0)	0	(0)	1	(1)	0	(0)	1	(1)	2	(2)	12	(<1	
Α	20-29	299	(13)	10	(9)	13	(12)	9	(9)	13	(11)	7	(7)	2	(2)	353	(12	
G	30-39	993	(43)	46	(39)	41	(38)	39	(39)	45	(38)	29	(28)	27	(31)	1,220	(42	
Ε	40-49	695	(30)	37	(32)	38	(35)	30	(30)	36	(30)	39	(38)	32	(36)	907	(3	
	>49	273	(12)	24	(21)	17	(16)	20	(20)	26	(22)	26	(25)	25	(28)	411	(14	
	Non-Hispanic																	
	Caucasian	1,423	(62)	69	(59)	57	(52)	42	(42)	60	(50)	62	(61)	43	(49)	1,756	(60	
	Asian/Hawaiian/PI*	633	(28)	35	(30)	39	(36)			-	-	-	-	-	-	707		
R	Asian*	-	-	-	-	-	-	22	(22)	20	(17)	13	(13)	20	(23)	75		
A	Hawaiian/Pacific Islander*	-	-	-	-	-	-	16	(16)	12	(10)	10	(10)	7	(8)	45		
C E	Total API*	633	(28)	35	(30)	39	(36)	38	(38)	32	(27)	23	(23)	27	(31)	827	(2	
_	African-American	99	(4)	3	(3)	6	(6)	8	(8)	8	(7)	3	(3)	4	(5)	131	(4	
	American Indian/Alaskan	8	(<1)	1	(1)	0	(0)	0	(0)	2	(2)	1	(1)	0	(0)	12	(<	
	Multiple Race & Unknown	4	(<1)	0	(0)	0	(0)	6	(6)	4	(3)	6	(6)	5	(6)	25	(´	
		1				ı		ı		1				1				

*Beginning 2003, the new category for race/ethnicity, which follows the 1997 OMB standard from CDC's guideline, has been adopted in Hawaii. Due to the new category adoption, race/ethnicity information collected and compiled in this report are under two systems. Total API is the combination data for two systems.

	Male to Male Sex	1,723	(75)	82	(70)	75 (69) 61	(61)	73 (61)	65	(64)	57 (65)	2,136	(73)
	Injection Drug Use	164	(7)	10	(9)	9 (8) 4	(4)	11 (9)	6	(6)	11 (13)	215	(7)
	Male/Male Sex & IDU	169	(7)	2	(2)	8 (7) 5	(5)	12 (10)	9	(9)	2 (2)	207	(7)
R	Heterosexual	120	(5)	12	(10)	5 (5) 13	(13)	9 (8)	3	(3)	3 (3)	165	(6)
0	Transfusion	24	(1)	0	(0)	2 (2) 3	(3)	1 (1)	0	(0)	0 (0)	30	(1)
K	Perinatal	13	(1)	0	(0)	0 (0) 1	(1)	0 (0)	0	(0)	0 (0)	14	(<1)
'`	Hemophiliac	18	(1)	1	(1)	1 (1) ((0)	0 (0)	0	(0)	0 (0)	20	(1)
	Undetermined	53	(2)	10	(9)	9 (8) 13	(13)	14 (12)	19	(19)	15 (17)	133	(5)

a. Due to the de-duplication with nation, the number of Hawaii reported cases may change each year.


Hispanic

Each year's estimated population from http://www.hawaii.gov/dbedt/info/census/population-estimate. The last update: December 22, 2006.

County Report

Cumulative Cases (1983 - December 31, 2006)

Lana`i






Honolulu County 2,120 Cases (73%)



Maui County 289 Cases (10%)



Annual Reporting Rate per 100,000 Population by County, Reported from 2002 to 2006 (Five-Year Average)

County	Rate
Honolulu	8.3
Hawai`i	6.5
Maui	9.0
Kaua`i	9.7.
Statewide	8.2

Hawai`i County 376 Cases (13%)

This map indicates the number of diagnosed AIDS cases reported to the Department of Health through December 31, 2006. These numbers do not reflect those diagnosed in other states who are now living in Hawai`i or individuals who are HIV-infected but not yet diagnosed with AIDS.

*The 2004 population from The State of Hawaii Data Book . The last update : March 16, 2006.

Cumulative Hawai i AIDS cases reported 1983 to December 31, 2006 2,920

Known Deaths

1,719 (58.9%)

AIDS Cases by County: Five-year (2002 - 2006) and Cumulative Total (1983 – December 31, 2006)

	County	Honolulu Co. 5-Year Cum. Total 5				Hawai`i Co. 5-Year Cum. Total			Maui Co. 5-Year Cum. Total						a`i Co Cum.		Statewide 5-Year Cum. Tota				
		No.	(%)	N	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	N	(%).	N	(%)	No.	(%)	No.	(%)
S E	Male	328	(88)	1,959	(92)	47 ((89)	335	(89)	56	(90)	279	(94)	27	(90)	115	(91)	458	(88)	2,688	(92)
X	Female	46	(12)	161	(8)	6 ((11)	41	(11)	6	(10)	19	(6)	3	(10)	11	(9)	61	(12)	232	(8)
	Male to Male Sex	230	(61)	1,559	(74)	33 ((62)	251	(67)	47	(76)	232	(78)	21	(70)	94	(75)	331	(64)	2,136	(73)
	Injection Drug Use	34	(9)	151	(7)	3	(6)	39	(10)	2	(3)	15	(5)	2	(7)	10	(8)	41	(8)	215	(7)
	Male/Male Sex & IDU	30	(8)	147	(7)	4	(8)	31	(8)	2	(3)	25	(8)	0	(0)	4	(3)	36	(7)	207	(7)
R I	Heterosexual Contact	25	(7)	113	(5)	2	(4)	28	(7)	3	(5)	14	(5)	3	(10)	10	(8)	33	(6)	165	(6)
S K	Transfusion	4	(1)	23	(1)	0	(0)	3	(1)	2	(3)	2	(1)	0	(0)	2	(2)	6	(1)	30	(1)
	Perinatal	1	(<1)	12	(1)	0	(0)	2	(1)	0	(0)	0	(0)	0	(0)	0	(0)	1	()	14	(<1)
	Hemophiliac	1	(<1)	15	(1)	0	(0)	3	(1)	0	(0)	2	(1)	0	(0)	0	(0)	1	()	20	(1)
	Undetermined	49	(13)	100	(5)	11 ((21)	19	(5)	6	(10)	8	(3)	4	(13)	6	(5)	70	(13)	133	(5)
Total	Cases	37	4	2,12	20	53		37	6	6	2	29	8	30		126		51	9	2,9	20
01/200	02- 12/2006 Cases (%)		374	(72)			53	(10)		62 (12)				30 (6)				519 (100)			
Cumu	ılative Cases (%)	2,120 (73)				376 (13)			298 (10)				126 (4)				2,920 (100)				
2004	Estimated Population (%)		(71)					(13)			(11)			(5)				1,262,124 (100)			

AIDS Cases by Race/Ethnicity Reported from 2002 to 2006 (Five - Year)

Race/Ethnicity		Cauca	sian	African H American		Hisp	Hispanic		Hawaiian/ Pt. Haw		Filipino		Chinese		Japanese		Other A/PIs		Multiple ^a Race		al ^b
		No.	(%)	N	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	N	(%)	N	(%)	No.	(%)	No.	(%)
				1		ı										ı		1			
S E	Male	239	(91)	25	(86)	40	(93)	44	(83)	32	(94)	13	(87)	28	(97)	22	(69)	13	(72)	459	(88)
Х	Female	24	(9)	4	(14)	3	(7)	9	(17)	2	(6)	2	(13)	1	(3)	10	(31)	5	(28)	60	(12)
	Male to Male Sex	191	(73)	15	(52)	27	(63)	28	(53)	20	(59)	9	(60)	17	(59)	14	(44)	10	(56)	332	(64)
	Injection Drug Use	20	(8)	4	(14)	2	(5)	6	(11)	0	(0)	4	(27)	1	(3)	3	(9)	1	(6)	41	(8)
R	Male/Male Sex & IDU	17	(6)	3	(10)	4	(9)	7	(13)	4	(12)	0	(0)	2	(7)	0	(0)	1	(6)	39	(8)
I S	Heterosexual Contact	9	(3)	2	(7)	1	(2)	6	(11)	3	(9)	0	(0)	2	(7)	6	(19)	2	(11)	32	(6)
K	Transfusion	2	(1)	0	(0)	1	(2)	0	(0)	1	(3)	0	(0)	1	(3)	1	(3)	0	(0)	6	(1)
	Perinatal	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	1	(3)	0	(0)	1	(<1)
	Hemophiliac	1	(<1)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	1	(<1)
	Undetermined	23	(9)	5	(17)	8	(19)	6	(11)	6	(18)	2	(13)	6	(21)	7	(22)	4	(22)	67	(13)
5-Y	ear Cases	263	3	29	29 43		43 53		34		15		29		32		18		519		
Cu	mulative Cases (%)	1,756	(60)	131	(4)	169	(6)	321	(11)	164	(6)	68	(2)	140	(5)	135	(5)	24	(1)	2,920	(100)
5 Y	ear Cases (%)	263	(51)	29	(6)	43	(8)	53	(10)	34	(7)	15	(3)	29	(6)	32	(6)	18	(3)	519	(100)
5–Year Average Annual Rate per 100,000 °		17.	9	26.4		9.8		13.2		4.0		5.3		2.9		2.1		1.4		8.2	

This data collection began in 2003.

Reporting Requirement: AIDS case reporting is required by Hawai`i Revised Statutes (HRS) §325-2 and Hawaii Administrative Rules §11-156-3 for low CD4 values (<200ml/ml or <14% of total lymphocytes). Reporting by name is required at the time a person is diagnosed with AIDS as defined by the Centers for Disease Control and Prevention (revised in January 1993). HIV case reporting by Unnamed Test Code (UTC) is required by Hawaii Administrative Rules §11-156-8.8 & 8.9., which took effect on August 27, 2001. Information is collected for the advancement of epidemiologic knowledge and handled in strictest confidence in accordance with HRS §325-101. Names and other identifiers are not released. Those required to report include physicians, nurses, infection control practitioners, medical directors, and hospitals.

Questions regarding forms, reporting requirements, or this report may either mail to the HIV/AIDS Surveillance Program, 3627 Kilauea Avenue, Room 306. Honolulu, Hawaii 96816, phone at (808) 733-9010, fax at (808) 733-9015 or e-mail to gsandy@lava.net

b Totals include American Indians with 3 cases in previous 5-year period; 12 cases as of December, 31 2006.

^c 2000 population, U.S. Census, from the State of Hawaii Data Book 2002, http://www.hawaii.gov/dbedt/db02/01/013202.xls and 013302.xls